

Carrier 30 RA 160

Specifications

Brand	Carrier
Type	30 RA 160
Product type	Air Cooled Chiller
Capacity kW	157
Capacity Tons	44,6
Refrigerant	Freon
Refrigerant Type	R 407C
Weight in kg.	1210
Sizes	2060x2270x1780 mm (LxWxH)
Compressor(s) type & model	4x Performer SZ185W4PC
Display	Carrier pro-dialog plus
Number of fans	2
Fan specifications	50 Hz - 1,8 kW - 930 RPM
Remarks	y.o.b. 2003
Stock	1



Description

Used Carrier 30 RA 160

Used Carrier 30 RA 160 air cooled chiller with 4 Performer SZ185W4PC scroll compressors. Evaporator PHE with a watervolume of 13 ltr. Condensor with 2 fans with max air flow of 11.600 m³/h. This chiller has a Carrier Prodialog plus controller. *All components of this used chiller will be tested on good working, leak free condition (condensing blocks), compressors, fans, control panel, etcetera). Choosing HOSBV means buying with warranty. We perform a industrial cleaning and rust spots will be covered. Also, we can arrange your shipment.



1 - NUMERO DE SÉRIE SERIAL NUMBER	12Z318477	
2 - MODÈLE - MODEL	30RA-160-B0019-PEE--	
3 - VARIANTE - VARIANT	30RA	
4 - ANNÉE DE FABRICATION ET DATE D'ESSAI YEAR OF MANUFACTURING AND TEST DATE	2003/12/11	
5 - FLUIDE - MEDIUM	R 407C	CE 0062
6 - GROUPE - GROUP	2	
7 - CHARGES CIRCUIT A	18,7 kg	8 - CHARGES CIRCUIT B 18,7 kg
9 - FLUIDE DE CONFINEMENT CONFINEMENT MEDIUM	23 - --AZOTE--NITROGENE--	
10 - PRESSION ADMISSIBLE MIN/MAX ALLOWABLE PRESSURE MIN/MAX	21 - HAUTE PRESSION HIGH PRESSURE (PSI) 0,9 32,0 bar	22 - BASSE PRESSION LOW PRESSURE 0,9 25,0 bar
11 - TEMPÉRATURES ADMISSIBLE MIN/MAX ALLOWABLE TEMPERATURE MIN/MAX	(TS) - 20 72 °C	- 20 62 °C
12 - PRESSION DE DÉCLENCHEMENT DES PRESSOSTATS PRESSURE SWITCH SETTING	29,0 bar	
13 - PRESSION DE DÉCLENCHEMENT DES SOUPAPES SAFETY RELIEF-VALVE SETTING	0,0 bar	25,0 bar
14 - PRESSION D'ESSAI D'ÉTANCHÉITÉ DE L'UNITÉ UNIT LEAK TEST PRESSURE	15,0 bar	
15 - TENSION VOLTAGE	400 V	10 10 % 16 - PHASES 3
17 - FRÉQUENCE FREQUENCY	~ 50 Hz	18 - I MAXIMALE MAXIMUM AMPS 131,3 0,0 A
19 - PUISSANCE ABSORBÉE MAX MAX POWER INPUT	77,2 0,0 kW	
20 - POIDS NET NET WEIGHT	1210 kg	

MANUFACTURING IN FRANCE BY
CARRIER s.a.
01120 - MONTLUEL - FRANCE
A SUBSIDIARY OF CARRIER CORPORATION
SYRACUSE NEW YORK
UNITED STATES OF AMERICA






