

# Bitzer 6F-50.2Y Tank aggregate

## Specifications

|                          |                              |
|--------------------------|------------------------------|
| Brand                    | Bitzer                       |
| Type                     | 6F-50.2Y Tank aggregate      |
| Refrigerant              | Freon                        |
| kW at 0°C/+40°C          | 142,1                        |
| kW at -5°C/+40°C         | 101,3                        |
| kW at -10°C/+40°C        | 83,6                         |
| kW at -20°C/+40°C        | 55,0                         |
| kW at -30°C/+40°C        | 33,9                         |
| kW at -40°C/+40°C        | 18,6                         |
| On steel base frame      | ✓                            |
| Pressure safety switches | ✓                            |
| Hp/Lp/Op                 |                              |
| Pressure gauges          | ✓                            |
| Hp/Lp/Op                 |                              |
| Liquid receiver          | ✓                            |
| Liquid receiver ltr.     | 125                          |
| Liquid line filter drier | ✓                            |
| Sight Glass              | ✓                            |
| Control panel            | ✓                            |
| m3 / h                   | 151,6                        |
| Remarks                  | y.o.b. 2000                  |
| Sizes                    | 2050x1210x1300 mm<br>(LxWxH) |
| Stock                    | 1                            |



## Description

### Used Bitzer 6F-50.2Y Tank aggregate

Used Bitzer 6F-50.2Y semi-hermetic reciprocating compressor. Complete with liquid receiver 125 liter, liquid line filters and pressure safety switches and gauges.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.







