

# Sabroe SMC 116 L MK2

## Specifications

Brand	Sabroe
Type	SMC 116 L MK2
Refrigerant	NH 3 (ammonia)
Refrigerant type	R717
kW at +10°C/+40°C	1444,7
kW at 0°C/+40°C	955,5
kW at -5°C/+40°C	760,3
kW at -10°C/+40°C	594,2
Electromotor Specs	75 kW - 1472 RPM
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
m3 / h	1.093
Sizes	2730x1320x1760 mm (LxWxH)
Stock	2



## Description

### Used Sabroe SMC 116 L MK2

Used Sabroe SMC 116 L compressor unit. This compressor unit has the following components: Sabroe SMC 116 L MK2 reciprocating compressor. Strömberg Ab HXUR 505G2 B3 (75 kW at 1472 RPM) electromotor. Oil separator 150 Liter. Pressure safety switches and gauges. Cooling capacity based on booster conditions with 75 kW electromotor is -40°C/-10°C - 176,6 kW and -30°C/0°C - 301,5 kW. Compressor can run as single cooling purpose condition with another capacity electromotor.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*If requested we are happy to arrange



Your partner for used commercial and  
industrial refrigeration equipment

---

your logistics.







