

Sabroe SAB 128 HF MK2 man VI

Specifications

Brand	Sabroe
Type	SAB 128 HF MK2 man VI
Refrigerant	Freon
kW at +10°C/+40°C	533,8
kW at 0°C/+40°C	380,2
kW at -5°C/+40°C	317,4
kW at -10°C/+40°C	262,8
kW at -20°C/+40°C	227,0
kW at -30°C/+40°C	152,2
kW at -40°C/+40°C	94,9
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	455/548
Remarks	Y.o.b. 2000
Sizes	2050x1050x1640 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HF MK2 man VI

Used Sabroe SAB 128 HF compressor unit. Complete with a Sabroe SAB 128 HF MK3 screw compressor, Brook crompton (110 kW - 2930 RPM) electromotor, oil separator, OOSI 21142 A oil cooler, Unisab 2 and a Prosab 2 control panel.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning.

*Optionally we can also perform a new paint job and arrange the logistics.





