

Baltimore CXVE 502 1018 30L

Specifications

Brand	Baltimore
Type	CXVE 502 1018 30L
Product type	Air Cooled Condenser
kW	2083,0
Number of Fans	3
Refrigerant	NH 3 (ammonia)
Air Flow in m ³ /h	191.520 m ³ /h
Sizes	Under unit 6200x3050x3300 mm (LxWxH) Top unit 6900x3050x3100 mm (LxWxH)
Weight	9.710 kg
Remarks	Y.o.b. 2014
Stock	1




Description


Used Baltimore CXVE 502 1018 30L

Used Baltimore CXVE 502 1018 30L condenser on NH3. With the follow measurements: under unit 6200x3050x3300 mm (LxWxH) and top unit 6900x3050x3100 mm (LxWxH). The condenser has a air flow of 191.520 m³/h and a waterflow of 306.720 l/h. Complete with 3 fans with each 7,5 kW, Lowara FHBS6 150-250/75 ELP 40/69 water pump with


7,5 kW and Electramo MS2-132M-4 V6
electric motor.

*All components of this used condenser
will be tested on adequate
functionality, leak-free condition
(electro engines), condensing block,
and bearings. Choosing HOS BV means
buying with warranty. We perform an
industrial cleaning. on demand, we can
arrange your shipment.











 ELECTRAMO®					3Ph-AC Motor IEC 60054				
FRAME 82-132-4 U6				CLASS		4/4			
S/N 141326-1				ALTITUDE m		3/4			
AMB°C				COSφ		2/4			
V		HZ		KW		RPM		AMPS	IP
0.40		5		0.40		1440		1.1	DUTY
0.40		5		0.40		1440		1.1	SF
0.40		5		0.40		1440		1.1	Kg
DE				NDE					

CORRADO S.p.A. ITALY	
Via A. Gramsci, 62 - 20050 POMEZANO (MI)	
F/T	1924/07/14/4615
C/R	704 C/R
P/N	CONS. 57028
I	23037/M8
A/P	22
BLADE PAT. N. 46183/3	
HUB PAT. N. 46182/4	

