

# Copeland ZB38KCE-TFD-551 Condensing unit

## Specifications

|                          |                                    |
|--------------------------|------------------------------------|
| Brand                    | Copeland                           |
| Type                     | ZB38KCE-TFD-551<br>Condensing unit |
| Refrigerant              | Freon                              |
| kW at +10°C/+40°C        | 18,6                               |
| kW at 0°C/+40°C          | 13,3                               |
| kW at -5°C/+40°C         | 11,2                               |
| kW at -10°C/+40°C        | 9,31                               |
| kW at -20°C/+40°C        | 6,27                               |
| kW at -30°C/+40°C        | 4,06                               |
| kW at -40°C/+40°C        | 2,47                               |
| On steel base frame      | ✓                                  |
| Pressure safety switches | ✓                                  |
| Hp/Lp/Op                 |                                    |
| Liquid receiver          | ✓                                  |
| Liquid line filter drier | ✓                                  |
| m3 / h                   | 14,5                               |
| Sizes                    | 1460x740x1460 mm<br>(LxWxH)        |
| Stock                    | 1                                  |



## Description

### Used Copeland ZB38KCE-TFD-551 Condensing unit

Used Copeland ZB38KCE-TFD-551 scroll compressor complete with Liquid receiver and liquid line filter. 2 condensor fans with a diameter of 500 mm, 50 Hz - 750/900 rpm.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.









