

Bitzer 4DC-7.2Y-40S Condensing unit

Specifications

Brand	Bitzer
Type	4DC-7.2Y-40S Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	21,1
kW at -5°C/+40°C	17,5
kW at -10°C/+40°C	14,3
kW at -20°C/+40°C	9,3
kW at -30°C/+40°C	5,5
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Liquid receiver	✓
Liquid receiver ltr.	18 liter
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	26,84 m ³ /h
Condensing Unit	✓
Sizes	1450x810x800 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-7.2Y-40S Condensing unit

Used Bitzer condensing unit complete with a Bitzer 4DC-7.2Y-40S semi-hermetic reciprocating compressor, a Liquid receiver of 18 liter, a oil separator, liquid line filter drier and sight glasses. The air is distributed by 2 fans with a diameter of 450 mm and 1500 rpm at 50 Hz. The displacement of this condensing unit is 26,84 m³/h.

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







