

Bitzer 4J-22.2Y (x2)

Specifications

Brand	Bitzer
Туре	4J-22.2Y (x2)
Refrigerant	Freon
kW at 0ºC/+40ºC	103,0
kW at -5ºC/+40ºC	85,4
kW at -10ºC/+40ºC	70,2
kW at -20ºC/+40ºC	45,5
kW at -30ºC/+40ºC	27,3
kW at -40ºC/+40ºC	14,2
On steel base frame	1
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Suction accumulator	✓
Oil separator	✓
Sight Glass	1
m3 / h	63,5
Remarks	Y.o.b. 2001
Package / Rack	✓
Sizes	2160x670x1000 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4J-22.2Y (x2)

Used Bitzer 4J-22.Y compressor rack complete with 2x Bitzer 4J-22.2Y, 2x oil separator, 2x suction accumulator, sight glass, safety pressure switches and pressure gauges. Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.













Typ 4J-22.2 Y S.Nr. 66068424							
ITZER KUHL	MASCH lade in	E.C.	GMBH	II II 61	6068424	11	
Vennspannung / 3Ph~	Frequ Hz		Anlaufstro A (Y)	om A (YY)	Fördervo m ³ /h	I.Drehzahl min ⁻¹	
380-420	50	39	97	158	63,5	1450	
440-480	60	39	97	158	76,6	1750	
IP 54 ND/HI 378 028-05	D max.	19 / 28 ba	r.			(























