

Bitzer 4G-30.2Y-40P

Specifications

Brand	Bitzer
Туре	4G-30.2Y-40P
Refrigerant	Freon
kW at 0°C/+40°C	68,6
kW at -5ºC/+40ºC	57,0
kW at -10°C/+40°C	47,0
kW at -20°C/+40°C	30,7
kW at -30°C/+40°C	18,6
kW at -40°C/+40°C	9,8
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	98
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	84,6
Remarks	Y.o.b. 2007
Weight in kg.	614
Sizes	1520x610x1560 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4G-30.2Y-40P

Used Bitzer 4G-30.2Y-40P semihermetic reciprocating compressor on Freon. Complete with a OCS RLH323X1350 liquid receiver with a volume of 98 liter, liquid line filter drier, pressure and safety switches/gauges and a control box.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics



Your partner for used commercial and industrial refrigeration equipment















Your partner for used commercial and industrial refrigeration equipment







