

Bitzer 4PES-12Y-40P

Specifications

Brand	Bitzer
Type	4PES-12Y-40P
Refrigerant	Freon
kW at 0°C/+40°C	39,9
kW at -5°C/+40°C	32,7
kW at -10°C/+40°C	26,5
kW at -20°C/+40°C	16,6
kW at -30°C/+40°C	9,6
kW at -40°C/+40°C	4,8
kW at -45°C/+40°C	3,1
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	39
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	48,5
Remarks	Y.o.b. 2015
Sizes	1250x1400x1800 mm (LxWxH)
Stock	1



Description

Used Bitzer 4PES-12Y-40P

Used Bitzer 4PES-12Y-40P semi-hermetic reciprocating compressor on Freon with a sight glass. Complete with pressure and safety switches/gauges, Bitzer F402H liquid receiver with a volume of 39 liter and a liquid line filter drier. The compressor has a displacement of 48,5 m³/h.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *If requested we are happy to arrange your shipment.



