

Grasso V-3

Specifications

Brand	Grasso
Type	V-3
Refrigerant	NH 3 (ammonia)
kW at 0°C/+40°C	1690,0*
kW at -30°C/+40°C	443,0**
Electromotor Specs	50 Hz - 280 kW - 2970 RPM
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Control panel	✓
m3 / h	1740
Remarks	Y.o.b. 2001
Remarks	*Capacity based at -35°C/+35°C
Remarks	**Capacity based at 0°C/+35°C
Sizes	4340x1720x2450 mm (LxWxH)
Stock	1



Description

Used Grasso V-3

Used Grasso V-3 screw compressor unit on NH3. Complete with 1 Grasso V-3 screw compressor, Unelec AP3 315 MC electromotor: 50 Hz - 280 kW - 2970 RPM, Metal oil separator with a volume of 965 dm³, oil cooler, pump with a Birkenbeul electromotor: 50 Hz - 3,0 kW - 1430 RPM and a Metal display. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.







