

# DWM D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1)

## Specifications

Brand	DWM
Type	D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1)
Refrigerant	Freon
kW at 0°C/+40°C	192,9
kW at -5°C/+40°C	159,8
kW at -10°C/+40°C	130,9
kW at -20°C/+40°C	84,3
kW at -30°C/+40°C	50,0
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	220
Oil separator	✓
Oil level system AC&R	✓
Sight Glass	✓
m3 / h	224,0
Remarks	Year of construction 2001
Package / Rack	✓



	(LxWxH)
Size	3250x1100x1880 mm

## Description

### **Used DWM D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1)**

Used DWM Copeland D4DA4-200X-AWM/D (x3) & D4DA5-200X-AWM/D (x1) semi-hermetic reciprocating compressor unit on Freon. Complete with a external 220 liquid receiver, oil separator, oil reservoir, electrical cabinet, pressure and safety switches/gauges. The compressors have a total displacement of 224 m<sup>3</sup>/h. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics





