


# Sabroe HPC 104S

## Specifications

Brand	Sabroe
Type	HPC 104S
Refrigerant	CO2
Electromotor Specs	50/60 Hz - 90/104 kW - 1470/1770 RPM
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Oil separator	✓
Solenoid Valve	✓
Control panel	✓
m3 / h	226,0
Remarks	Y.o.b. 2005
Sizes	2280x1100x1500 mm (LxWxH)
Stock	1



## Description

### Used Sabroe HPC 104S

Used Sabroe HPC 104S reciprocating compressor on R744 (CO2). Complete with a Schorch KN7250M-BB01B-401 electric motor - 50/60 Hz - 400/460 V - 90/104 kW - 1470/1770 RPM, Sabroe OVUR 3207 HP oil separator with a volume of 40 liter and a Sabroe UNISAB 2 control. The compressor has a displacement of 226 m<sup>3</sup>/h at 1500 RPM.

The compressor has the next capacities at the following temperatures:

-50°C/-10°C - 236,4 kW  
 -40°C/-10°C - 378,2 kW  
 -30°C/-10°C - 569,9 kW

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an



extensive test, warranty and industrial  
cleaning. \*Optional we can also  
perform a new paint job and arrange  
the logistics

