

## Grasso M-3 / MB-3BG

### Specifications

Brand	Grasso
Type	M-3 / MB-3BG
Refrigerant	NH 3 (ammonia)
kW at 0°C/+40°C	637,0*
kW at -10°C/+40°C	350,0**
kW at -30°C/+40°C	165,0***
Electromotor Specs	50 Hz - 132/152 kW - 2970/3570 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Oil separator	✓
Control panel	✓
m <sup>3</sup> / h	690
Remarks	Y.o.b. 2005
Remarks	Capacity based at: *(0°C/+35°C) - **(-15°C/+35°C) - ***(-35°C/+35°C)
Weight in kg.	2560
Sizes	3050x1200x2200 mm (LxWxH)
Stock	1



### Description

#### Used Grasso M-3 / MB-3BG

Used Grasso MB-3BG compressor unit on NH<sub>3</sub>. Complete with 1 Grasso M-3 screw compressor, Schorch KN7280M-AB01B-Z electric motor - 50 Hz - 132/152 kW - 2970/3570 RPM, Grasso 250/2000/2 oil cooler, Grasso DM508 oil separator with a volume of 275 liter and a Grasso GSC control panel. The compressos has a displacement of 690 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also arrange the logistics.



















