

Sabroe SAB 128 HF man VI

Specifications

Brand	Sabroe
Type	SAB 128 HF man VI
Refrigerant	NH 3 (ammonia)
kW at -10°C/+40°C	283,2
kW at -20°C/+40°C	214,8
kW at -30°C/+40°C	134,7
kW at -40°C/+40°C	77,8
Electromotor Specs	50/60 Hz - 90/104 kW - 2960/3560 RPM
Capacity Control	✓
On steel base frame	✓
Condensing pressure switches	✓
Oil separator	✓
m ³ / h	547
Sizes	2200x1100x1630 mm (LxWxH)
Stock	1



Description

Used Sabroe SAB 128 HF man VI

Used Sabroe SAB 128 HF MK3 screw compressor unit on R717 (NH3). Complete with a Schorch KN7250S-AB01B-201 electric motor - 50/60 Hz - 90/104 kW - 2960/3560 RPM, Sabroe OHU 4119 oil separator with a volume of 270 liter, Sabroe OOSI 1614A oil cooler and a oil pump with a MarelliMotori MA90L4 electric motor. The compressor has a displacement of 547 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.







