

## Bitzer 6G.2Y

## **Specifications**

Brand	Bitzer
Туре	6G.2Y
Refrigerant	Freon
kW at 0°C/+40°C	106,3
kW at -5ºC/+40ºC	88,0
kW at -10°C/+40°C	72,2
kW at -20°C/+40°C	46,8
kW at -30°C/+40°C	28,2
kW at -40°C/+40°C	15,2
kW at -45°C/+40°C	10,3
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Solenoid Valve	/
m3 / h	153
Remarks	Y.o.b. 2003
Sizes	1140x800x900 mm
	(LxWxH)
Stock	1



## **Description**

## **Used Bitzer 6G.2Y**

Used Bitzer 6G.2Y reciprocating compressor on Freon. Complete with a AC&R S-5692 oil separator with a volume of 6,7 liter and pressure and safety switches/gauges. The compressor has a displacement of 153 m³/h at 1750 RPM. It is possible to deliver this unit with a suitable electric motor.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.



























