

# Bitzer 4G-30.2Y-40P

## Specifications

Brand	Bitzer
Type	4G-30.2Y-40P
Refrigerant	Freon
kW at 0°C/+40°C	68,6
kW at -5°C/+40°C	57,0
kW at -10°C/+40°C	47,0
kW at -20°C/+40°C	30,7
kW at -30°C/+40°C	18,6
kW at -40°C/+40°C	9,8
Unloaded Start	✓
Capacity Control	✓
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Oil separator	✓
Oil level system AC&R	✓
Solenoid Valve	✓
m3 / h	84,5 - 101,98
Weight in kg.	206
Sizes	1550x640x1000 mm (LxWxH)
Stock	1



## Description

### Used Bitzer 4G-30.2Y-40P

Used Bitzer 4G-30.2Y-40P semi-hermetic reciprocating compressor on Freon. The compressor has a displacement of 84,5 m<sup>3</sup>/h at 1450 RPM and 101,98 m<sup>3</sup>/h at 1750 RPM.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





