

Bitzer 4DC-5.2Y-40S (x2) 4CC-6.F1Y-40S (x1)

Specifications

Brand	Bitzer
Туре	4DC-5.2Y-40S (x2)
	4CC-6.F1Y-40S (x1)
Refrigerant	Freon
kW at 0ºC/+40ºC	51,4
kW at -5ºC/+40ºC	41,5
kW at -10°C/+40°C	33,0
kW at -20°C/+40°C	19,6
On steel base frame	/
Pressure safety switches	/
Hp/Lp/Op	
Condensing pressure	/
switches	
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	/
Control panel	/
m3 / h	104
Remarks	SN: 1675205545 - 2008
	SN: 1676502845 - 2009
	SN: 1676502842 - 2009
Package / Rack	/
Sizes	2080x980x1430 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4DC-5.2Y-40S (x2) 4CC-6.F1Y-40S (x1)

Used Bitzer 4DC-5.2Y-40S (x2) & 4CC-6F1Y-40S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a liquid line filter drier, pressure and safety switches, condensing pressure switches and a control panel with an ABB DBB 23000 electricity meter and Danfoss display. The Bitzer 4CC-6.F1Y is a varispeed compressor and comes with a 7,5 kW inverter. The capacity is based on the use of freon type: R134A. *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has



Your partner for used commercial and industrial refrigeration equipment

been cleaned industrially. *If requested we are happy to arrange your shipment.

HOS BV www.hosbv.com info@hosbv.com (+31) (0)23-5404237































Your partner for used commercial and industrial refrigeration equipment




























Your partner for used commercial and industrial refrigeration equipment



HOS BV www.hosbv.com info@hosbv.com