

Bitzer 4HE-18Y-40P (x1) & DWM Copeland D4DL5-150X-AWM/D (x2)

Specifications

Brand	Bitzer
Type	4HE-18Y-40P (x1) & DWM Copeland D4DL5-150X-AWM/D (x2)
Refrigerant	Freon
kW at -20°C/+40°C	82,1
kW at -30°C/+40°C	51,3
kW at -40°C/+40°C	29,2
kW at -45°C/+40°C	20,7
On steel base frame	✓
Liquid receiver	✓
Liquid receiver ltr.	98
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
Solenoid Valve	✓
m ³ / h	215,4
Remarks	SN: 1696511190 - 2019 SN: 09I 43382 M - 2009 SN: 12A 31697 M- 2012
Package / Rack	✓
Sizes	2050x1330x2050 mm (LxWxH)
Stock	1



Description

Used Bitzer 4HE-18Y-40P (x1) & DWM Copeland D4DL5-150X-AWM/D (x2)

Used Bitzer 4HE-18Y-40P (x1) & DWM Copeland D4DL5-150X-AWM/D (x2) semi-hermetic reciprocating compressor rack on Freon. Complete with Frigomec FK 98 liquid receiver with a volume of 98 liter, oil separator, liquid line filter drier and oil level system AC&R. Each compressor comes with a Copeland 1PR5061-4 AD 29Z (x2) fans - 50/60 Hz - 1380/1560 RPM and ebmpapst S4D315-AC34-15 (x1) fan -50/60 Hz -0,08/0,11 kW - 1400/1500 RPM for head cooling. The compressors have a total displacement of 215,4 m³/h - 50 Hz - 1450 RPM.

*Why choose for HOSBV? Were not only



the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.





