

Sabroe SAB 202 LM MK3

Specifications

Brand	Sabroe
Туре	SAB 202 LM MK3
Refrigerant	NH 3 (ammonia)
kW at -5ºC/+40ºC	1185,1
kW at -10ºC/+40ºC	969,1
kW at -20ºC/+40ºC	744,5
kW at -30ºC/+40ºC	472,2
kW at -40ºC/+40ºC	278,7
Electromotor Specs	50 Hz - 315 kW - 2960
	RPM
Unloaded Start	
	1
Capacity Control	✓ ✓
Capacity Control	· ✓
Capacity Control On steel base frame	· / /
Capacity Control On steel base frame Oil separator	· · ·
Capacity Control On steel base frame Oil separator Solenoid Valve	· / / / / /



Description

Used Sabroe SAB 202 LM MK3

Used Sabroe SAB 202 LM screw compressor unit on NH3. Complete with an electric motor - 50 Hz - 315 kW -2960 RPM, Sabroe OHU 4131 oil separator with a volume of 610 liters, oil pump, Unisab 2, and a control cabinet. The compressor has a displacement of 1590 m³/h. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.













































