

Bitzer 6G-40.2Y

Specifications

Brand	Bitzer
Type	6G-40.2Y
Refrigerant	Freon
kW at 0°C/+40°C	102,6
kW at -5°C/+40°C	85,4
kW at -10°C/+40°C	70,3
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,0
kW at -40°C/+40°C	14,9
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Liquid receiver ltr.	105
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	50 Hz - 126,8 m³/h / 60 Hz - 152,9 m³/h
Remarks	Y.o.b. 2000
Weight in kg.	+ - 550 kg
Sizes	2000x900x1850 mm (LxWxH)



Stock

1

Description

Used Bitzer 6G-40.2Y

Used Bitzer 6G-40.2Y semi-hermetic reciprocating compressor on Freon. Complete with a Bitzer F1052T liquid receiver with a volume of 105 liters, AC&R S-5694 oil separator, liquid line filter drier, and pressure and safety switches/gauges. The compressor has a displacement of 126,8 m³/h at 50 Hz and 152,9 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





