

# Bitzer 6G-40.2Y-40P

## Specifications

Brand	Bitzer
Type	6G-40.2Y-40P
Refrigerant	Freon
kW at 0°C/+40°C	102,6
kW at -5°C/+40°C	85,4
kW at -10°C/+40°C	70,3
kW at -20°C/+40°C	46,0
kW at -30°C/+40°C	28,0
kW at -40°C/+40°C	14,9
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Condensing pressure switches	✓
Liquid receiver	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	50 Hz - 126,8 m³/h / 60 Hz - 153,1 m³/h
Remarks	SN: 1674200706 - Y.o.b: 2008 SN: 1668808896 - Y.o.b. 2005
Weight in kg.	+ - 550 kg



Sizes	2000x900x2150 mm (LxWxH)
-------	-----------------------------

Stock	2
-------	---

## Description

### Used Bitzer 6G-40.2Y-40P

Used Bitzer 6G-40.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a liquid receiver, AC&R S-5194-CE oil separator, liquid line filter drier, and pressure and safety switches/gauges. The compressor has a displacement of 126,8 m<sup>3</sup>/h at 50 Hz and 153,1 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. \*Optional we can also perform a new paint job and arrange the logistics.







