

Bitzer 2EC-2.2Y-40S Condensing unit

Specifications

Brand	Bitzer
Туре	2EC-2.2Y-40S
	Condensing unit
Refrigerant	Freon
kW at -5ºC/+40ºC	7,3
kW at -10ºC/+40ºC	6,0
kW at -20ºC/+40ºC	3,9
kW at -30ºC/+40ºC	2,4
kW at -40ºC/+40ºC	1,2
kW at -45ºC/+40ºC	0,8
On steel base frame	1
Pressure safety switches	1
Hp/Lp/Op	
Liquid receiver	1
Liquid line filter drier	1
Sight Glass	1
m3 / h	50 Hz - 11,4 m³/h
	60 Hz - 13,7 m³/h
Remarks	Y.o.b. 2007
Condensing Unit	1
Sizes	730x740x580 mm
	(LxWxH)
Stock	3



Description

Used Bitzer 2EC-2.2Y-40S Condensing unit

Used Bitzer condensing unit on Freon. Complete with 1 Bitzer 2EC-2.2Y-40S semi-hermetic reciprocating compressor, condenser with 1 EBM-Papst fan, Bitzer FS56 liquid receiver, pressure and safety switches, and a liquid line filter drier. The compressor has a displacement of 11,4 m³/h at 50 Hz and 13,7 m³/h at 60 Hz. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.



Your partner for used commercial and industrial refrigeration equipment
















Your partner for used commercial and industrial refrigeration equipment







