

Bitzer 4CES-6Y-40S (x2) & 4CC-6.2Y-40S (x1)

Specifications

Brand	Bitzer
Type	4CES-6Y-40S (x2) & 4CC-6.2Y-40S (x1)
Refrigerant	Freon
kW at -5°C/+40°C	66,0
kW at -10°C/+40°C	54,1
kW at -20°C/+40°C	35,1
kW at -30°C/+40°C	21,3
kW at -40°C/+40°C	11,6
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	105
Suction accumulator	✓
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Solenoid Valve	✓
m3 / h	50 Hz - 97,5 m³/h / 60 Hz - 117,6 m³/h



SN: 1692504312 - Y.o.b.

2017

SN: 1690900574 -

Y.o.b. 2016

Rackage / Rack	SN: 1666605234 - Y.o.b.
Sizes	2000x1000x1700 mm (LxWxH)
Stock	1

Description

Used Bitzer 4CES-6Y-40S (x2) & 4CC-6.2Y-40S (x1)

Used Bitzer 4CES-6Y-40S (x2) & 4CC-6.2Y-40S (x1) semi-hermetic reciprocating compressor rack on Freon. Complete with a Bitzer F1052T liquid receiver with a volume of 105 liter, AC&R S-5692 oil separator, oil reservoir, suction accumulator, liquid line filter, GEA M18-20-LG brazed heat exchanger, and pressure and safety switches/gauges. The compressors have a total displacement of 97,5 m³/h at 50 Hz and 117,6 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.







