

Bitzer 4DC-5.2Y-40S

Specifications

Brand	Bitzer
Type	4DC-5.2Y-40S
Refrigerant	Freon
kW at 0°C/+40°C	13,3
kW at -5°C/+40°C	10,7
kW at -10°C/+40°C	8,5
kW at -20°C/+40°C	5,0
kW at -30°C/+40°C	2,6
kW at -40°C/+40°C	3,0
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	24,5
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	50 Hz - 26,9 m³/h / 60 Hz - 32,4 m³/h
Remarks	Y.o.b. 2007
Condensing Unit	✓
Sizes	2050x800x990 mm (LxWxH)
Stock	1



Description

Used Bitzer 4DC-5.2Y-40S

Used Bitzer condensing unit on Freon. Complete with 1 Bitzer 4DC-5.2Y-40S semi-hermetic reciprocating compressor, condenser with 3 ebmpapst S4E400-AP02-83 fans - 50/60 Hz - 0,16/0,24 kW - 1430/1700 RPM and an RV-280X498 liquid receiver with a volume of 24,5 liter, liquid line filter drier and pressure safety switches. The compressor has a displacement of 26,9 m³/h at 50 Hz and 32,4 m³/h at 60 Hz. *Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial cleaning. *Optional we can also perform a new paint job and arrange the logistics.





