

Bitzer 4FES-5Y-40S Condensing unit

Specifications

Brand	Bitzer
Type	4FES-5Y-40S Condensing unit
Refrigerant	Freon
kW at 0°C/+40°C	14,8
kW at -5°C/+40°C	12,3
kW at -10°C/+40°C	10,0
kW at -20°C/+40°C	6,5
kW at -30°C/+40°C	4,0
kW at -40°C/+40°C	2,2
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	35 l
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	50 Hz - 18,1 m ³ /h , 60 Hz - 21,8 m ³ /h
Remarks	Y.o.b. 2016
Condensing Unit	✓
Sizes	2550x800x1050 mm (LxWxH)
Stock	1



Description

Used Bitzer 4FES-5Y-40S Condensing unit

Used Bitzer condensing unit on Freon. Complete with 1 Bitzer 4FES-5Y-40S semi-hermetic reciprocating compressor, condenser with 4 ebmpapst S4E400-AP02-83 fans - 50/60 Hz - 0,16/0,24 kW - 1430/1700 RPM and a FL35+SGR5+SV(M28/R5) liquid receiver with a volume of 35 liter, oil separator, liquid line filter drier, pressure safety switches and Jumo dTron 316 compact controller with program function. The compressor has a displacement of 18,1 m³/h at 50 Hz and 21,8 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty, and industrial



cleaning. *Optional we can also
perform a new paint job and arrange
the logistics.







