

Stal R59C - 40C

Specifications

Brand	Stal
Type	R59C - 40C
Refrigerant	NH 3 (ammonia)
kW at -30°C/+40°C	87*
kW at -40°C/+40°C	87*
Electromotor Specs	75 kW at 2955 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
Remarks	# // *Capacity based on -37C/+35C
Sizes	1500x900x2100 mm (LxWxH)
Stock	3



Description

Used Stal R59C - 40C

Used Stal SVA 59 E MK1 ammonia compressor unit. Complete with 1 Stal R59C - 40C screw compressor, Schorch KN7225M-AB06B-Z: 50 Hz - 75 kW - 2955 RPM, unloaded start, capacity control, pressure safety switches, pressure gauges, oil separator, sight glass, solenoid valve and control panel. This unit has a cooling capacity of 87 kW at -37C/+35C.



*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.



