

Bitzer 4H-25.2Y-40P

Specifications

Brand	Bitzer
Туре	4H-25.2Y-40P
Refrigerant	Freon
kW at 0°C/+40°C	59,4
kW at -5°C/+40°C	49,4
kW at -10°C/+40°C	40,6
kW at -20°C/+40°C	26,4
kW at -30°C/+40°C	15,9
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	54
Oil separator	✓
Liquid line filter drier	/
Sight Glass	✓
m3 / h	50 Hz - 73,7 m³/h / 60 Hz
	- 88,9 m³/h
Remarks	Y.o.b. 2011
Sizes	1700x520x740 mm
	(LxWxH)
Stock	1



Description

Used Bitzer 4H-25.2Y-40P

Used Bitzer 4H-25.2Y-40P semihermetic reciprocating compressor on Freon. Complete with a Bitzer F550T liquid receiver with a volume of 54 liter, oil separator, pressure and safety switches and a liquid line filter drier. The compressor has a displacement of 73,7 m³/h at 50 Hz & 88,9 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning. *Optional we can also arrange the logistics.



















Your partner for used commercial and industrial refrigeration equipment







