


Sabroe TSMC 108 L

Specifications

Brand	Sabroe
Type	TSMC 108 L
Refrigerant	NH 3 (ammonia)
kW at -30°C/+40°C	108,6
kW at -40°C/+40°C	64,2
Electromotor Specs	50 Hz - 55 kW - 1460 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
m3 / h	413 m ³ /h
Sizes	2050x1050x1300 mm (LxWxH)
Stock	1



Description

Used Sabroe TSMC 108 L

Used Sabroe TSMC 108 L two-stage reciprocating compressor on NH₃ (Ammonia). Complete with a Schorch KN5225M-BB014-051 electric motor - 50 Hz - 55 kW - 1460 RPM, Sabroe OVUR 2106 D oil separator, Sabroe OVUR 3206 D oil separator, pressure safety switches and a Unisab 2 controller.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

