

Bitzer 4EES-6Y-40S

Specifications

Brand	Bitzer
Type	4EES-6Y-40S
Refrigerant	Freon
kW at 0°C/+40°C	18,6
kW at -5°C/+40°C	15,4
kW at -10°C/+40°C	12,6
kW at -20°C/+40°C	8,1
kW at -30°C/+40°C	4,9
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,9
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	50 Hz - 22,7 m ³ /h / 60 Hz - 27,4 m ³ /h
Remarks	Y.o.b. 2019
Sizes	1030x650x920 mm (LxWxH)
Stock	2





Description

Used Bitzer 4EES-6Y-40S

Used Bitzer 4EES-6Y-40S semi-hermetic reciprocating compressor set on Freon build in 2018. Complete with a liquid receiver, oil separator, pressure and safety switch and a control cabinet with a Carel EVD evolution controller. The compressor has a displacement of 22,7 m³/h at 50 Hz & 27,4 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase.
*If requested we are happy to arrange your shipment.



Typ 4EES-6Y-40S
S.Nr. 1696309712

BITZER KÜHLMASCHINENBAU GMBH
Made in Germany

Nennspannung	Frequ.	Max.Betr.strom		Anlaufstrom		Fördervol.	Drehzahl
V Δ 3Ph~ V Y 3Ph~	Hz	A (Δ)	A (Y)	A (Δ)	A (Y)	m³/h	min ⁻¹
220-240 380-420	50	23,7	13,6	108	62,2	22,7	1450
265-290 440-480	60	23,7	13,6	108	62,2	27,4	1750

IP 65 ND/HD max. 19 / 32 bar

37820203

