

## Lu-Ve

## **Specifications**

| Brand            | Lu-Ve                    |
|------------------|--------------------------|
| Product type     | Drycooler                |
| kW               | 210,7*                   |
| Number of Fans   | 3                        |
| RPM of the Fans  | 880/630                  |
| Refrigerant      | Glycol                   |
| Air Flow in m³/h | 46.800                   |
| diameter fans Ø  | 800 mm                   |
| Surface (m2)     | 285,2                    |
| Sizes            | 5200x1030x1200 mm        |
|                  | (LxWxH)                  |
| Remarks          | *Capacity is based on a  |
|                  | medium inlet             |
|                  | temperature of 60°C and  |
|                  | an outlet temperature of |
|                  | 40°C                     |
| Stock            | 1                        |



## **Description**

## **Used Lu-Ve**

Used Lu-ve air cooled drycooler. Complete with 3 Ziehl-Abegg FC080-SDA.6K.2 fans - 50 Hz -1.45/0.85 kW - 880/630 RPM - diameter 800 mm and a total airflow of 46.800 m<sup>3</sup>/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 210,7kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C. \*All components of this used condensor will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.

info@hosbv.com





















