

## DWM D4DH3-2500-AWM/D

### Specifications

|                          |                                     |
|--------------------------|-------------------------------------|
| Brand                    | DWM                                 |
| Type                     | D4DH3-2500-AWM/D                    |
| Refrigerant              | Freon                               |
| kW at +10°C/+40°C        | 82,4                                |
| kW at 0°C/+40°C          | 58,0                                |
| kW at -5°C/+40°C         | 48,1                                |
| kW at -10°C/+40°C        | 39,5                                |
| kW at -20°C/+40°C        | 25,7                                |
| Pressure safety switches | ✓                                   |
| Hp/Lp/Op                 |                                     |
| Oil level system AC&R    | ✓                                   |
| Sight Glass              | ✓                                   |
| m3 / h                   | 50 Hz - 70,9 m³/h                   |
| Remarks                  | Y.o.b. 1993                         |
| Remarks                  | *Capacity based on Freon type: R22. |
| Weight in kg.            | 225 kg                              |
| Sizes                    | 700x550x500 mm (LxWxH)              |
| Stock                    | 1                                   |



### Description

#### Used DWM D4DH3-2500-AWM/D

Used DWM/Copeland D4DH3-2500-AWM/D semi-hermetic reciprocating compressor on Freon. Complete with a pressure safety switch, oil level system AC&R and a sight glass. The compressor has a displacement of 70,9 m³/h at 50 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.



