

DWM D4DJ4-300X-AWM/D (x3)

Specifications

| Brand | DWM |
|--------------------------|-----------------------|
| Туре | D4DJ4-300X-AWM/D (x3) |
| Refrigerant | Freon |
| kW at 0ºC/+40ºC | 219,5 |
| kW at -5ºC/+40ºC | 182,4 |
| kW at -10ºC/+40ºC | 150,1 |
| kW at -20ºC/+40ºC | 98,1 |
| kW at -30ºC/+40ºC | 59,6 |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Oil separator | 1 |
| Oil level system AC&R | ✓ |
| Sight Glass | ✓ |
| m3 / h | 253,8 |
| Package / Rack | ✓ |
| Sizes | 2660x900x2050 mm |
| | (LxWxH) |
| Stock | 1 |
| | |



Description

Used DWM D4DJ4-300X-AWM/D (x3)

Used DWM D4DJ4-300X-AWM/D (x3) semi-hermetic reciprocating compressor rack on Freon. Complete with a oil separator and an oil level system AC&R. The compressors have a total displacement 253,8 m³/h.

This rack is on the same frame with the following rack: 17359

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to



arrange your logistics.































