

# DWM D3DC5-100X-AWM/D (x1) & D3DS5-150X-AWM/D (x2)

## Specifications

Brand	DWM
Type	D3DC5-100X-AWM/D (x1) & D3DS5-150X-AWM/D (x2)
Refrigerant	Freon
kW at 0°C/+40°C	117,8
kW at -5°C/+40°C	98,4
kW at -10°C/+40°C	81,4
kW at -20°C/+40°C	39,5
kW at -30°C/+40°C	33,9
kW at -40°C/+40°C	19,1
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Oil level system AC&R	✓
Liquid line filter drier	✓
Sight Glass	✓
m3 / h	137,8
Remarks	Y.o.b. 2002
Package / Rack	✓
Sizes	2450x1100x1250 mm (LxWxH)



Stock

1

## Description

### **Used DWM D3DC5-100X-AWM/D (x1) & D3DS5-150X-AWM/D (x2)**

Used DWM D3DC5-100X-AWM/D (x1) & D3DS5-150X-AWM/D (x2) Semi-hermetic reciprocating compressor rack on Freon. Complete with a oil separator, oil reservoir, pressure and safety switches/gauges and each compressor with an oil level system AC&R. The compressors have a total displacement of 137,8 m<sup>3</sup>/h.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.









