

Bitzer OSKA 7471-K

Specifications

Brand	Bitzer
Type	OSKA 7471-K
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	331,3
kW at 0°C/+40°C	228,2
kW at -5°C/+40°C	186,5
kW at -10°C/+40°C	150,5
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
m ³ / h	125,0 - 345,0 m ³ /h
Remarks	Y.o.b. 2010
Sizes	2000x1000x1650 mm (LxWxH)
Stock	1



Description

Used Bitzer OSKA 7471-K

Used Bitzer OSKA 7471-K open-drive screw compressor on NH 3 (ammonia). Complete with Helmke DOR1250M-2-159 - 50 Hz -55 kW - 2970 RPM, 2 Bitzer OA4188A and OAS3088 oli separators, Alfa Laval AlfaNova 52-40H brazed heat exchanger as oil cooling and control box. The compressor has a displacement between 125,0 and 345,0 m³/h.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can also perform a new paint job and arrange the logistics.









