

# Cabero ACWA097A2.2/2N D

## **Specifications**

Brand	Cabero
Type	ACWA097A2.2/2N D
Product type	Drycooler
kW	236,2*
Number of Fans	2
RPM of the Fans	1100 RPM
Refrigerant	Glycol
Air Flow in m³/h	49.100
diameter fans Ø	910 mm
Surface (m2)	319,5 m <sup>2</sup>
Tube volume	47,5 dm³
Sizes	3000x1350x1860 mm
	(LxWxH)
Remarks	Y.o.b. 2017
Remarks	*Capacity is based on a
	medium inlet
	temperature of 60°C and
	an outlet temperature of
	40°C
Stock	1



### **Description**

#### Used Cabero ACWA097A2.2/2N D

Used Cabero ACWA097A2.2/2N D drycooler built in 2017. Complete with 2 Ziehl-Abegg FN091-ZIQ.GL.V5P1 fans - 50/60 Hz - 3.2 kW - 1100 RPM diameter 910 mm and a total airflow of 49.100 m<sup>3</sup>/h. The current condenser will be converted into a drycooler and the appropriate flanges will be installed. The drycooler has a capacity of 236,2kW with a medium inlet temperature of 60°C and an outlet temperature of 40°C. \*All components of this used condenser will be tested on adequate functionality, leak-free condition (electro engines), condensing block, and bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning, on demand, we can

arrange your shipment.



# Your partner for used commercial and industrial refrigeration equipment



























# Your partner for used commercial and industrial refrigeration equipment









