

Bitzer 6H-25.2Y-40P

Specifications

Brand	Bitzer
Type	6H-25.2Y-40P
Refrigerant	Freon
kW at -5°C/+40°C	74,7
kW at -10°C/+40°C	61,6
kW at -20°C/+40°C	40,4
kW at -30°C/+40°C	24,7
kW at -40°C/+40°C	13,4
kW at -45°C/+40°C	9,1
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Liquid receiver	✓
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
m ³ / h	110,5 m ³ /h at 50 Hz & 133,3 m ³ /h at 60 Hz
Remarks	Y.o.b. 2005
Sizes	1600x600x1110 mm (LxWxH)
Stock	1



Description

Used Bitzer 6H-25.2Y-40P

Used Bitzer 6H-25.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a liquid receiver, AC&R S-5590 oil separator, pressure and safety switches, sight glass and a liquid line filter drier. The compressor has a displacement of 110,5 m³/h at 50 Hz & 133,3 m³/h at 60 Hz.

*All components of this used evaporator will be tested on good working, leak free condition (electro engines, coils, bearings). Choosing HOSBV means buying with warranty. We perform a industrial cleaning. Also, we can arrange your shipment.



