

Sabroe CMO 18

Specifications

| | |
|--------------------------|-----------------------------|
| Brand | Sabroe |
| Type | CMO 18 |
| Refrigerant | Freon |
| Refrigerant type | R22 |
| kW at 0°C/+40°C | 117,2 |
| kW at -5°C/+40°C | 93,9 |
| kW at -10°C/+40°C | 73,5 |
| kW at -20°C/+40°C | 42,1 |
| Capacity Control | ✓ |
| On steel base frame | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Pressure gauges | ✓ |
| Hp/Lp/Op | |
| Sight Glass | ✓ |
| Remarks | Y.o.b. 1980 |
| Sizes | 1630x800x1020 mm (LxWxH) |
| Stock | 1 |



Description

Used Sabroe CMO 18

Used Sabroe CMO 18 piston compressor on Freon type R22. Complete with Leroy Somer PLS180L-T electro motor: 30/34 kW -1440/1750 RPM - 50/60 Hz, pressure safety switches/gaugues and sight glass.
 *Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.
 *Optional we can also perform a new paint job and arrange the logistics.



