

# Mycom N6WA-BB

## Specifications

Brand	Mycom
Type	N6WA-BB
Refrigerant	NH 3 (ammonia)
kW at 0°C/+40°C	147,8*
kW at -5°C/+40°C	129,2*
kW at -10°C/+40°C	112,3*
kW at -20°C/+40°C	67,8*
kW at -30°C/+40°C	44,1*
kW at -40°C/+40°C	27,4*
Electromotor Specs	50/60 Hz - 75/85 kW - 1480/1780 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
m3 / h	281 m³/h
Remarks	Y.o.b. 2010
Remarks	*Capacity based on a condensing temperature of 10°C
Sizes	2150x1250x2230 mm (LxWxH)



Stock

2

---

## Description


### Used Mycom N6WA-BB

Used Mycom N6WA-BB reciprocating compressor on R717 (Ammonia). Complete with WEG 280SM4 electric motor - 50/60 Hz - 75/85 kW - 1480/1780 RPM, Mayekawa OSF200/26/52-PM4 oil separator, pressure and safety switches/gauges. The compressor has a displacement of 281 m<sup>3</sup>/h. Capacity based on a condensing temperature of 10°C.

\*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

\*Optional we can also perform a new paint job and arrange the logistics.





MYCOM					
RECIPROCATING COMPRESSOR					
Model		Serial No			
N6WA-BB		613583			
PS (MPa)	HP	2,5	LP	1,4	
PT(MPa)	HP	3,9	LP	2,2	
Max. speed (rpm)		1450		Year	2010
Max. swept vol. (m3/h)		281		at max. speed	



