

Thermofin TACH.3-091-26-B-L-DE-BD-2

Specifications

Brand	Thermofin
Type	TACH.3-091-26-B-L-DE-BD-2
Product type	Air Cooled Condenser
kW	1047,3
Number of Fans	12
RPM of the Fans	885
Refrigerant	Freon
Air Flow in m ³ /h	246.000
diameter fans Ø	910 mm
Surface (m ²)	3614,9
Tube volume	333 dm ³
Sizes	11830x2300x1450 mm (LxWxH)
Weight	3000 kg
Remarks	Y.o.b. 2011
Stock	1



Description

Used Thermofin TACH.3-091-26-B-L-DE-BD-2

Used Thermofin TACH.3-091-26-B-L-DE-BD-2 air-cooled condenser on NH₃ (Ammonia). Complete EBM-Papst S3G910-CU22-06 - 50/60 Hz - 2,1 kW - 885 RPM - diameter 910 mm and a total airflow of 246.000 m³/h.

*All components of this used condenser will be tested on adequate functionality, leak free condition (electro engines), condensing block, bearings. Choosing HOSBV means buying with warranty. We perform an industrial cleaning. on demand, we can arrange your shipment.



thermofin GmbH®		CE		thermofin®	
Am Windrad 1		0036		heat exchangers · GERMANY	
D - 08468 Heinsdorfergrund					
Bezeichnung model / modèle	TACH.3-091-26-B-L-DE-BD-2				
Artikel-Nr. article-n° / no. d'article	EPO 000 933				
Projekt-Nr. project-n° / no. de projet	708545 - 010	Geräte-Nr. unit-n° / no. d'appareil	002		
Fertigungsjahr prod. year / année de fabr.	02/2011	Betriebsdruck max. working pressure / pression max.	PS	25	bar
Rohrvolumen tube volume / volume tubul.	333,0 L	Mediumtemp. / medium temp. plage de temp. d'utilis. du fluide	TS	-30/+120 °C	
Leergewicht empty weight / poids	ca. 3000 kg	Ventilator-temp. / fan temp. plage de temp. d'utilis. des vent.	-25/+60 °C		
Prüfüberdruck test pressure / pression d'épreuve	PT 28 bar	Prüfmedium test medium / fluide d'épreuve	Luft / air		
el. Anschlusswerte / connected load / données électriques					
Ventilator(en) fan(s) / ventilateur(s)	380/480 V	el. Heizung el. defrost	- V		
1 / Y	25,2 kW	degivrage el.	- kW		



