


# Grasso V 700

## Specifications

Brand	Grasso
Type	V 700
Refrigerant	NH 3 (ammonia)
kW at 0°C/+40°C	549,0*
kW at -10°C/+40°C	367,0* (-10°C/+35°C)
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Sight Glass	✓
Control panel	✓
m <sup>3</sup> / h	636 m <sup>3</sup> /h
Remarks	Y.o.b. 2013
Remarks	* Based on: 0 K subcooling, 2 K superheat (non-useful).
Package / Rack	✓
Sizes	2600x1250x1600 mm (LxWxH)
Stock	1



## Description

### Used Grasso V 700

Used Grasso V 700 Package NH3 (ammonia) on a steel base frame. Complete with a Grasso V 700 reciprocating compressor, Weg 315S/M-06 electric motor - 50/60 Hz - 132 kW - 990/1190 RPM, pressure and safety switches/gauges and a Gea Grasso Maintenance Monitor. The compressor has a displacement of 636 m<sup>3</sup>/h.

\*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. \*If requested we are happy to arrange your shipment.

