

Bitzer 8GC-60.2Y-40P

Specifications

| | |
|--------------------------|--|
| Brand | Bitzer |
| Type | 8GC-60.2Y-40P |
| Refrigerant | Freon |
| Refrigerant type | R134A |
| kW at +10°C/+40°C | 132,8 |
| kW at 0°C/+40°C | 89,1 |
| kW at -5°C/+40°C | 71,7 |
| kW at -10°C/+40°C | 56,9 |
| kW at -20°C/+40°C | 33,5 |
| Capacity Control | ✓ |
| Pressure safety switches | ✓ |
| Hp/Lp/Op | |
| Oil level system AC&R | ✓ |
| Sight Glass | ✓ |
| m3 / h | 50 Hz - 185 m ³ /h / 60 Hz - 222 m ³ /h |
| Remarks | Y.o.b. 2012 (s.nr:1682204725, 1682204726), y.o.b.2013 (s.nr:2685200069) |
| Weight in kg. | 350 kg |
| Sizes | 1020x700x530 mm (LxWxH) |
| Stock | 4 |



Description

Used Bitzer 8GC-60.2Y-40P

Used Bitzer 8GC-60.2Y-40P semi-hermetic reciprocating compressor on Freon. Complete with a Esk Schultze ORE2-0-BC oil level system AC&R, pressure safety switches and a sight glass. The compressor has a displacement of 185 m³/h at 50 Hz & 222 m³/h at 60 Hz.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment solely if it has passed our extensive test. Warranty and industrial cleaning are included in your purchase. *If requested we are happy to arrange your shipment.



