Mycom FM160L-M (Overhauled)

Specifications

Brand	Mycom
Type	FM160L-M (Overhauled)
Refrigerant	Freon
kW at +10ºC/+40ºC	824,4
kW at 0ºC/+40ºC	575,9
kW at -5ºC/+40ºC	474,8
kW at -10ºC/+40ºC	387,5
kW at -20ºC/+40ºC	248,7
kW at -30ºC/+40ºC	149,8
kW at -40ºC/+40ºC	81,6
kW at -45ºC/+40ºC	56,7
Unloaded Start	✓
Capacity Control	✓
m3 / h	949
Remarks |	*Capacities based on the use of R717 (Ammonia)
Remarks ||	Y.o.b. 2013
Stock	1

Description

Used Mycom FM160L-M (Overhauled)

Overhauled Mycom FM160L-M screw compressor for NH3 / Freon.
*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment soley if it has passed our extensive quality test and after it has been cleaned industrially. *If requested we are happy to arrange your shipment.

MYCOM


MYCOM


MYCOM SCREW COMPRESSOR
MODEL
SERIAL No.
DATE
09-2013
DESIGN PRESSURE (MPaG)
WORKING FLUID
PRESSURE TEST (MPaG)
MAX.SWEPT VOLUME (m³/h)
949
LEAK TEST (MPaG)
MAX.SPEED (min⁻¹)
4500
MAYEKAWA MFG. CO., LTD. MADE IN JAPAN

MYCOM

MYCOM

MYCOM

MYCOM