

Bitzer HSN 7461-70-40P (x2) & HSN 7471-75 (x2)

Specifications

Brand	Bitzer
Type	HSN 7461-70-40P (x2) & HSN 7471-75 (x2)
Refrigerant	Freon
kW at -20°C/+40°C	470,2
kW at -30°C/+40°C	323,2
kW at -40°C/+40°C	211,0
kW at -45°C/+40°C	165,8
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	320
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓



	m ³ /h at 50 Hz & 600
	m ³ /h at 60 Hz
Remarks	Bitzer HSN 7461-70: 440 m ³ /h at 50 Hz & 532 b. 600 m ³ /h at 60 Hz (5880256)
Package / Rack	Bitzer HSN 7471-75: 500
Sizes	Skid 1: 2700x1400x1820 mm (LxWxH) Skid 2: 2750x1400x1830 mm (LxWxH)
Stock	1

Description

Used Bitzer HSN 7461-70-40P (x2) & HSN 7471-75 (x2)

Two used low temperature Bitzer screw compressor skids on Freon. Both skids come with a shared control cabinet. Originally the skids have their own freezing room, but called capacities in the specifications are combined together.

Skid 1 comes with 2 Bitzer HSN 7461-70-40P semi-hermetic screw compressors, Bitzer FS 3102 liquid receiver, Bitzer OA4088 oil separator, brazed heat exchanger as economizer, brazed heat exchanger for heat recovery, pressure and safety switches. This skid has a displacement of 440 m³/h at 50 Hz & 532 m³/h at 60 Hz.

Skid 2 comes with 2 Bitzer HSN 7471-75 semi-hermetic screw compressors, Bitzer FS 3102 liquid receiver, Bitzer OA4088 oil separator, brazed heat exchanger as economizer, WTT GmbH WP 7M-44 brazed heat exchanger for heat recovery, pressure and safety switches. This skid has a displacement of 500 m³/h at 50 Hz & 600 m³/h at 60 Hz.

Bitzer HSN 7461-70-40P (x2) capacities:
-20°C/+40°C: 229,6 kW
-30°C/+40°C: 157,4 kW
-40°C/+40°C: 102,0 kW
-45°C/+40°C: 79,8 kW

Bitzer HSN 7471-75 (x2) capacities:
-20°C/+40°C: 240,6 kW
-30°C/+40°C: 165,8 kW
-40°C/+40°C: 109,0 kW

-45°C/+40°C: 86,0 kW

*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.

















