

# Bitzer HSN 8571-125-40P (x2)

## Specifications

Brand	Bitzer
Type	HSN 8571-125-40P (x2)
Refrigerant	Freon
kW at -20°C/+40°C	396,4
kW at -30°C/+40°C	272,6
kW at -40°C/+40°C	178,8
kW at -45°C/+40°C	141,0
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	473
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
Control panel	✓
m <sup>3</sup> / h	820 m <sup>3</sup> /h at 50 Hz & 990 m <sup>3</sup> /h at 60 Hz
Remarks	Y.o.b. 2011
Weight in kg.	2500
Package / Rack	✓
Sizes	3610x1700x1950 mm (LxWxH)



Stock

1

## Description

### **Used Bitzer HSN 8571-125-40P (x2)**

Used Bitzer HSN 8571-125-40P (x2) semi-hermetic screw compressor skid on Freon. Complete with a Bitzer FS4752 liquid receiver with a volume of 473 liter, Bitzer OA9111 oil separator with a volume of 228 liter, GEA GBS 700M-60 brazed heat exchanger as oil cooler, brazed heat exchanger as economizer, pressure and safety switches/gauges and a control cabinet. The compressors have a total displacement of 820 m<sup>3</sup>/h at 50 Hz & 990 m<sup>3</sup>/h at 60 Hz.

\*Why choose for HOSBV? We're not only the largest used refrigeration specialist in Europe, but also, we solely deliver our orders after performing an extensive test and an industrial cleaning. If requested we are happy to arrange your logistics.











