

# Bock HGX34e/315-4 Condensing unit

## Specifications

Brand	Bock
Type	HGX34e/315-4 Condensing unit
Refrigerant	Freon
kW at +10°C/+40°C	28,7 (+7,5°C/+40°C)
kW at 0°C/+40°C	22,0
kW at -5°C/+40°C	17,9
kW at -10°C/+40°C	14,7
kW at -20°C/+40°C	9,4
kW at -30°C/+40°C	5,4
kW at -40°C/+40°C	2,7
kW at -45°C/+40°C	1,7
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	19
Liquid line filter drier	✓
Sight Glass	✓
m <sup>3</sup> / h	27,3
Weight in kg.	631
Condensing Unit	✓
Sizes	1350x1160x1050 mm (LxWxH)
Stock	1




## Description

### Used Bock HGX34e/315-4 Condensing unit

Used Bock HGX34e/315-4 condensing unit on Freon. Complete with a Frigomec RV-260X448 liquid receiver with a volume 19 liters, condenser with 1 Ziehl-Abegg ZN050-6IL.0BD.V7P2 fan - 50/60 Hz - 0,36 kW - 1120 RPM - diameter 500 mm, pressure safety switch/gauge and control panel with a Dixell Coolmate controller. The compressor has a displacement of 27,3 m<sup>3</sup>/h at 50 Hz & 32,8 m<sup>3</sup>/h at 60 Hz. \*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. \*Optionally we can also perform a new paint job and arrange the logistics.





		LEGNAGO VERONA-Italy I-37045 S.p.A. www.frigomec.com		 0036	
Type	RV-260X448				
Manufacture- Nr.	9612801				
Manufacture year	2019				
Fluids Group	2	/	Excluded	/	
Category	II	/	Volume V:L	19	
Temperature TS-°C	-10	120	-50	120	
Max. permissible press.PS-bar	28		21		
Test pressure PT-bar	40.04				

