

# Trotec DF 400

## Specifications

Brand	Trotec
Type	DF 400
Stock	17



## Description

### Used Trotec DF 400

Used Trotec DF 400 dehumidifier. Ideal for building drying, water damage and other demanding tasks. Recommended room size building drying 190 m<sup>2</sup> of 470 m<sup>3</sup>. Maximal dehumidification capacity: 75 ltr/24h 65 ltr/24h at 30°C/80% r.h. 30 ltr/24h at 20°C/60% r.h. Sizes: 480x525x820 mm (LxWxH)  
Niet voor verkoop binnen de Benelux.



**DRYFAST BVBA**  
**KREEKWEG 22, NL-3133 A2**  
**VILAARDINGEN, NETHERLANDS**

Model  
 Modell  
 Modèle  
 Modelo

**DF400**

Serial No.  
 Serie Nr.  
 Série No.  
 No. De

**180696 F09**

Volts	Phase	HZ/AC
<b>230</b>	<b>~ 1N</b>	<b>50</b>

Max System Pressure HP 20.6 bar  
 Betriebstestdrucke  
 Pression Max LP 10.3 bar  
 Presion Max

Machine F.L.A. **6.15** Amps  
 Max. Stromaufnahme  
 Ampères Maxi  
 Amperio Max

Max Supply Fuse **13** Amps  
 Max Absicherung  
 Ampères Fusible  
 Fusible Max

Hermetic system / hermetisches System  
 Système hermétique / Sistema hermético

R	Kg
<b>407c</b>	<b>0.51</b>

Gas Charge  
 Kaltemittelfüllung  
 Charge Réfrigérant  
 Carga Réfrigerante

Enclosure **22**  
 Schutzart  
 Protection  
 Protección

Water Flow	Enclosure
<b>N/A</b>	<b>22</b>

Wasserdurchsatz  
 Débit d'eau  
 Caudal Aire  
 Litres/Minute  
 Liter pro Minute  
 Litres/Minute  
 Litros/Minuto

**N/A** %

D64026550 ISS 10

