

Mycom N8WA-BB

Specifications

Brand	Mycom
Type	N8WA-BB
Refrigerant	NH 3 (ammonia)
kW at +10°C/+40°C	465,4
kW at 0°C/+40°C	312,9
kW at -5°C/+40°C	251,4
kW at -10°C/+40°C	198,5
kW at -20°C/+40°C	115,6
Electromotor Specs	50 Hz - 75 kW - 1485 RPM
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Stock	2



Description

Used Mycom N8WA-BB

Used Mycom N8WA-BB NH3 reciprocating compressor on a steel base frame. Complete with a Rotor 5RN280S04A0 electric motor - 50 Hz - 75 kW - 1485 RPM, Mayekawa MAA2565-55-110-RM3 oil separator, oil cooler, pressure and safety switches/gauges.

*Why choose for HOSBV? Were not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and industrial cleaning.

*Optional we can also perform a new paint job and arrange the logistics.







