

Bitzer HSK7451-70-40P

Specifications

Brand	Bitzer
Type	HSK7451-70-40P
Refrigerant	Freon
kW at 0°C/+40°C	198,2
kW at -5°C/+40°C	169,1
kW at -10°C/+40°C	143,4
kW at -20°C/+40°C	100,5
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Liquid receiver	✓
Liquid receiver ltr.	228
Oil separator	✓
Liquid line filter drier	✓
Sight Glass	✓
Control panel	✓
m3 / h	192
Remarks	Y.o.b. 2006
Weight in kg.	1230
Sizes	2200x1130x2150 mm (LxWxH)
Stock	1



Description

Used Bitzer HSK7451-70-40P

Used Bitzer HSK7451-70-40P semi-hermetic screw compressor unit on Freon. Complete with a Bitzer FS 2202 liquid receiver with a volume of 228 liters, Bitzer OA1854 oil separator with a volume of 40 liters, Gea WP 7L-50 brazed heat exchanger for heat recovery, brazed heat exchanger as economizer, liquid line filter drier, pressure and safety switches/gauges and a control cabinet with a Siemens Touch display. The compressor has a displacement of 192 m³/h at 50 Hz & 232 m³/h at 60 Hz.

*Why choose for HOSBV? We are not only the largest used refrigeration specialist in Europe, but also, we deliver all equipment including an extensive test, warranty and an industrial cleaning. *Optionally we can

also perform a new paint job and
arrange the logistics.









