

Gram HC 6075

Specifications

Brand	Gram
Type	HC 6075
Refrigerant	NH 3 (ammonia)
kW at 0°C/+40°C	81,4*
kW at -5°C/+40°C	69,8*
kW at -10°C/+40°C	52,3*
kW at -20°C/+40°C	31,4*
kW at -30°C/+40°C	12,2*
Unloaded Start	✓
Capacity Control	✓
On steel base frame	✓
Pressure safety switches	✓
Hp/Lp/Op	
Pressure gauges	✓
Hp/Lp/Op	
Oil separator	✓
Sight Glass	✓
Solenoid Valve	✓
m3 / h	222
Remarks	*Capacity based on a condensing temperature of 25°C
Sizes	1600x900x900 mm (LxWxH)
Stock	1



Description

Used Gram HC 6075

Used Gram HC 6075 reciprocating compressor on NH3 (Ammonia). Complete with a Leroy Somer PLS200M-T electric motor - 50/60 Hz - 37/42 kW - 1435/1745 RPM, Gram oil separator, pressure and safety switches/gauges. The compressor has a displacement of 222 m³/h at 1850 RPM. Capacity based on a condensing temperature of 25°C. Used Grasso RC 612 single stage reciprocating compressor on NH3 (Ammonia). Complete with a ABB Motors M2BA 315SMB 4 B3 electromotor - 50/60 Hz - 132/150 kW - 1487/1785 RPM, oil separator with a volume of 120 liters, pressure safety switches/gauges and sight glass. The compressor has a displacement of 798,0 m³/h.





